

# Material Safety Data Sheet

## SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

### PT Maxnitron 2T Autolube

Product Use: 2T Motorcycle Oil  
Company Identification: **PTG Energy Public Company Limited**  
90 CW TOWER A (33rd Floor),  
Ratchadaphisek Rd., HuayKwang, HuayKwang,  
Bangkok, Thailand 10310  
Emergency Call: 0-2168-3377, 0-2168-3388  
Website: <https://www.ptgenergy.co.th/> ; <http://www.ptgenergy.co.th/ptmaxnitron/>

## SECTION 2 : HAZARDS IDENTIFICATION

### CLASSIFICATION:

- Flammable liquid: Category 4.

**Signal Word:** Warning

### Physical Hazards:

- Combustible liquid (H227).

### PRECAUTIONARY STATEMENTS:

#### Prevention:

- Keep away from heat and open flames. - No smoking (P210).
- Wear protective gloves, protective clothing, eye protection, and face protection (P280).

#### Response:

- In case of fire: Use media specified in the SDS to extinguish (P370+P378).

#### Storage:

- Store in a well-ventilated place. Keep cool (P403+P235).

#### Disposal:

- Dispose of contents and container in accordance with applicable local, regional, national, and international regulations (P501).

## SECTION 3 : COMPOSITION/ INFORMATION ON INGREDIENTS

| COMPONENTS                             | CAS NUMBER | AMOUNT          |
|----------------------------------------|------------|-----------------|
| Highly refined mineral oil (C15 - C50) | Mixture    | 40 - 50 %weight |

**Revision Number:** 0 **Product Name:** PT Maxnitron 2T Autolube  
**Revision Date:** 23-August-2025\_PP

|                                                                      |              |                   |
|----------------------------------------------------------------------|--------------|-------------------|
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | Proprietary  | 20 - 25 %weight   |
| Calcium branched chain alkyl phenate, Mannich                        | Trade secret | 0.1 - < 1 %weight |

#### **SECTION 4 : FIRST AID MEASURES**

- Eye:** No specific first aid measures are required. As a precaution, remove contact lenses, if worn, and flush eyes with water.
- Skin:** Wash skin with water immediately and remove contaminated clothing and shoes. Get medical attention if any symptoms develop. To remove the material from skin, use soap and water. Discard contaminated clothing and shoes or thoroughly clean before reuse.
- Ingestion:** No specific first aid measures are required. Do not induce vomiting. As a precaution, get medical advice.
- Inhalation:** No specific first aid measures are required. If exposed to excessive levels of material in the air, move the exposed person to fresh air. Get medical attention if coughing or respiratory discomfort occurs.

#### **IMMEDIATE HEALTH EFFECTS**

- Eye:** Not expected to cause prolonged or significant eye irritation.
- Skin:** Skin contact may cause drying or defatting of the skin. Symptoms may include pain, itching, discoloration, swelling, and blistering. Contact with the skin is not expected to cause an allergic skin response. Not expected to be harmful to internal organs if absorbed through the skin.
- Ingestion:** Not expected to be harmful if swallowed.
- Inhalation:** Not expected to be harmful if inhaled. Contains a petroleum-based mineral oil. May cause respiratory irritation or other pulmonary effects following prolonged or repeated inhalation of oil mist at airborne levels above the recommended mineral oil mist exposure limit. Symptoms of respiratory irritation may include coughing and difficulty breathing.

#### **SECTION 5 : FIRE FIGHTING MEASURES**

##### **EXTINGUISHING MEDIA:**

Use water fog, foam, dry chemical or carbon dioxide (CO<sub>2</sub>) to extinguish flames.

**Unusual Fire Hazards:** See Section 7 for proper handling and storage.

##### **PROTECTION OF FIRE FIGHTERS:**

- Fire Fighting Instructions:** This material will burn although it is not easily ignited. See Section 7 for proper handling and storage. For fires involving this material, do not enter any enclosed

|                         |                   |                      |                          |
|-------------------------|-------------------|----------------------|--------------------------|
| <b>Revision Number:</b> | 0                 | <b>Product Name:</b> | PT Maxnitron 2T Autolube |
| <b>Revision Date:</b>   | 23-August-2025_PP |                      |                          |

or confined fire space without proper protective equipment, including self-contained breathing apparatus.

**Combustion Products:** Highly dependent on combustion conditions. A complex mixture of airborne solids, liquids, and gases including carbon monoxide, carbon dioxide, and unidentified organic compounds will be evolved when this material undergoes combustion. Combustion may form oxides of: Nitrogen.

## **SECTION 6 : ACCIDENTAL RELEASE MEASURES**

**Protective Measures:** Observe all relevant local and international regulations. Eliminate all sources of ignition in the vicinity of the spill or released vapor. If this material is released into the work area, evacuate the area immediately. Monitor area with combustible gas indicator. Keep out unnecessary and unprotected personnel. Persons entering the contaminated area to correct the problem or to determine whether it is safe to resume normal activities must comply with all instructions in the Exposure Controls/Personal Protection section.

**Spill Management:** Stop the source of the release if you can do it without risk. Contain release to prevent further contamination of soil, surface water or groundwater. Clean up spill as soon as possible, observing precautions in Exposure Controls/Personal Protection. Use appropriate techniques such as applying non-combustible absorbent materials or pumping. All equipment used when handling the product must be grounded. A vapor suppressing foam may be used to reduce vapors. Use clean nonsparking tools to collect absorbed material. Where feasible and appropriate, remove contaminated soil. Place contaminated materials in disposable containers and dispose of in a manner consistent with applicable regulations.

**Reporting:** Report spills to local authorities as appropriate or required.

## **SECTION 7 : HANDLING AND STORAGE**

**General Handling Information:** Avoid contaminating soil or releasing this material into sewage and drainage systems and bodies of water.

**Precautionary Measures:** Liquid evaporates and forms vapor (fumes) which can catch fire and burn with explosive force. Invisible vapor spreads easily and can be set on fire by many sources such as pilot lights, welding equipment, and electrical motors and switches.

Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling. Keep out of the reach of children.

|                         |                   |                      |                          |
|-------------------------|-------------------|----------------------|--------------------------|
| <b>Revision Number:</b> | 0                 | <b>Product Name:</b> | PT Maxnitron 2T Autolube |
| <b>Revision Date:</b>   | 23-August-2025_PP |                      |                          |

|                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|-------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Static Hazard:</b>               | Electrostatic charge may accumulate and create a hazardous condition when handling this material. To minimize this hazard, bonding and grounding may be necessary but may not, by themselves, be sufficient. Review all operations which have the potential of generating and accumulating an electrostatic charge and/or a flammable atmosphere (including tank and container filling, splash filling, tank cleaning, sampling, gauging, switch loading, filtering, mixing, agitation, and vacuum truck operations) and use appropriate mitigating procedures.             |
| <b>Container Warnings:</b>          | Container is not designed to contain pressure. Do not use pressure to empty container or it may rupture with explosive force. Empty containers retain product residue (solid, liquid, and/or vapor) and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, static electricity, or other sources of ignition. They may explode and cause injury or death. Empty containers should be completely drained, properly closed, and promptly returned to a drum reconditioner or disposed of properly. |
| <b>General Storage Information:</b> | DO NOT USE OR STORE near heat, sparks, flames, or hot surfaces . USE AND STORE ONLY IN WELL VENTILATED AREA. Keep container closed when not in use.                                                                                                                                                                                                                                                                                                                                                                                                                         |

## **SECTION 8 : EXPOSURE CONTROLS / PERSONAL PROTECTION**

|                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>General Considerations:</b> | <p>Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the workplace when designing engineering controls and selecting personal protective equipment (PPE). If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, refer to PPE information below.</p> <p>Factors that affect PPE include, but are not limited to: properties of the chemical, other chemicals that may contact the same PPE, physical requirements (fit &amp; sizing, cut/puncture protection, dexterity, thermal protection, etc.), and potential allergic reactions to the PPE material. It is the responsibility of the user to read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances. Refer to appropriate CEN standards.</p> |
| <b>Engineering Controls:</b>   | Use in a well-ventilated area.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |

### **PERSONAL PROTECTIVE EQUIPMENT**

|                             |                                                                                                                                                                                                               |
|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Eye/Face Protection:</b> | Wear protective equipment to prevent eye contact. Selection of protective equipment may include safety glasses, chemical goggles, face shields, or a combination, depending on the work operations conducted. |
|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|                         |                   |                      |                          |
|-------------------------|-------------------|----------------------|--------------------------|
| <b>Revision Number:</b> | 0                 | <b>Product Name:</b> | PT Maxnitron 2T Autolube |
| <b>Revision Date:</b>   | 23-August-2025_PP |                      |                          |

**Skin Protection:** Wear chemical personal protective equipment (PPE) to prevent skin contact. Selection of chemical protective clothing should be performed by an Occupational Hygienist or Safety Professional and be based upon applicable standards (ASTM F739 or EN 374). Using chemical PPE depends upon operations conducted and may include chemical gloves, boots, chemical apron, chemical suit, and complete facial protection. **Refer to PPE manufacturers to obtain breakthrough time information to determine how long PPE can be used before it needs to be replaced.** Unless specific glove manufacturer data indicates otherwise, the below table is based upon available industry data to assist in the glove selection process and is intended to be used as reference only.

| Chemical Glove Material  | Thickness (mm) | Typical Breakthrough Time (minutes) |
|--------------------------|----------------|-------------------------------------|
| Butyl                    | 0.7            | 120                                 |
| Neoprene                 | 0.61           | 60                                  |
| Nitrile                  | 0.8            | 30                                  |
| Polyvinyl Chloride (PVC) | 1.1            | 15                                  |
| Viton Butyl              | 0.3            | 120                                 |

**Respiratory Protection:** A site-specific risk assessment should be conducted by an Occupational Hygienist or a Safety Professional to determine the type and use of respiratory protective equipment. When a site-specific risk assessment determines that respiratory protection is required, use an approved respirator such as:

**Air purifying respirator -**

If an oil mist is generated (dependent upon job activity): use both an organic vapor cartridge & particulate filter (AP3 filter per EN 529:2005).

Refer to respirator manufacturers to obtain service life of cartridge / filter.

Refer to EN 529:2005, USA OSHA 1910.134, and/or other applicable local /regional/national/international standards for regulatory requirements.

**Occupational Exposure Limits:** No applicable occupational exposure limits exist for this material or its components. Consult local authorities for appropriate values.

## **SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES**

**Attention: the data below are typical values and do not constitute a specification.**

|                        |                   |
|------------------------|-------------------|
| <b>Color:</b>          | Green             |
| <b>Physical State:</b> | Liquid            |
| <b>Odor:</b>           | Petroleum odor    |
| <b>Odor Threshold:</b> | No data available |
| <b>pH:</b>             | Not Applicable    |

|                         |                   |                      |                          |
|-------------------------|-------------------|----------------------|--------------------------|
| <b>Revision Number:</b> | 0                 | <b>Product Name:</b> | PT Maxnitron 2T Autolube |
| <b>Revision Date:</b>   | 23-August-2025_PP |                      |                          |

|                                                                   |                                                   |
|-------------------------------------------------------------------|---------------------------------------------------|
| <b>Vapor Pressure:</b>                                            | No data available                                 |
| <b>Relative Vapor Density:</b>                                    | No data available                                 |
| <b>Boiling Point:</b>                                             | No data available                                 |
| <b>Solubility:</b>                                                | Soluble in hydrocarbons; insoluble in water       |
| <b>Freezing Point:</b>                                            | No data available                                 |
| <b>Melting Point:</b>                                             | No data available                                 |
| <b>Particle Characteristics:</b>                                  | Not applicable                                    |
| <b>Density:</b>                                                   | No data available                                 |
| <b>Kinematic Viscosity:</b>                                       | 8.18 mm <sup>2</sup> /s @ 100°C (212°F) (Minimum) |
| <b>Coefficient of Therm. Expansion / °F:</b>                      | No data available                                 |
| <b>Evaporation Rate:</b>                                          | No data available                                 |
| <b>Partition coefficient n-octanol/water (logarithmic value):</b> | No data available                                 |

**FLAMMABLE PROPERTIES:**

|                                                              |                                               |
|--------------------------------------------------------------|-----------------------------------------------|
| <b>Flashpoint:</b>                                           | (Cleveland Open Cup) 70 °C (158 °F) (Minimum) |
| <b>Autoignition:</b>                                         | No data available                             |
| <b>Flammability (Explosive) Limits (% by volume in air):</b> | Lower: Not Applicable Upper: Not Applicable   |

**SECTION 10 : STABILITY AND REACTIVITY**

|                                              |                                                                                                                                      |
|----------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|
| <b>Reactivity:</b>                           | May react with strong acids or strong oxidizing agents, such as chlorates, nitrates, peroxides, etc.                                 |
| <b>Chemical Stability:</b>                   | This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure. |
| <b>Incompatibility With Other Materials:</b> | Not applicable                                                                                                                       |
| <b>Hazardous Decomposition Products:</b>     | None known (None expected)                                                                                                           |
| <b>Hazardous Polymerization:</b>             | Hazardous polymerization will not occur.                                                                                             |

**SECTION 11 : TOXICOLOGICAL INFORMATION**

|                               |                                                                                                                                                                              |
|-------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Eye Irritation:</b>        | The material is not considered an eye irritant. The product has not been tested. The statement is based on evaluation of data for similar materials or product components.   |
| <b>Acute Dermal Toxicity:</b> | The material is not considered a dermal toxicant. The product has not been tested. The statement is based on evaluation of data for similar materials or product components. |

|                         |                   |                      |                          |
|-------------------------|-------------------|----------------------|--------------------------|
| <b>Revision Number:</b> | 0                 | <b>Product Name:</b> | PT Maxnitron 2T Autolube |
| <b>Revision Date:</b>   | 23-August-2025_PP |                      |                          |

|                                                                |                                                                                                                                                                                                        |
|----------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Skin Irritation:</b>                                        | The material is not considered a skin irritant. The product has not been tested. The statement is based on evaluation of data for similar materials or product components.                             |
| <b>Skin Sensitization:</b>                                     | The material is not considered a skin sensitizer. The product has not been tested. The statement is based on evaluation of data for similar materials or product components.                           |
| <b>Acute Oral Toxicity:</b>                                    | The material is not considered an oral toxicant. The product has not been tested. The statement is based on evaluation of data for similar materials or product components.                            |
| <b>Acute Inhalation Toxicity:</b>                              | The material is not considered an inhalation toxicant. The product has not been tested. The statement is based on evaluation of data for similar materials or product components.                      |
| <b>Acute Toxicity Estimate:</b>                                | Not Determined                                                                                                                                                                                         |
| <b>Germ Cell Mutagenicity:</b>                                 | The material is not considered a mutagen. The product has not been tested. The statement is based on evaluation of data for similar materials or product components.                                   |
| <b>Carcinogenicity:</b>                                        | The material is not considered a carcinogen. The product has not been tested. The statement is based on evaluation of data for similar materials or product components.                                |
| <b>Reproductive Toxicity:</b>                                  | The material is not considered a reproductive toxicant. The product has not been tested. The statement is based on evaluation of data for similar materials or product components.                     |
| <b>Specific Target Organ Toxicity<br/>- Single Exposure:</b>   | The material is not considered a target organ toxicant (single exposure). The product has not been tested. The statement is based on evaluation of data for similar materials or product components.   |
| <b>Specific Target Organ Toxicity<br/>- Repeated Exposure:</b> | The material is not considered a target organ toxicant (repeated exposure). The product has not been tested. The statement is based on evaluation of data for similar materials or product components. |
| <b>Aspiration Hazard:</b>                                      | The material is not considered an aspiration hazard.                                                                                                                                                   |

#### **ADDITIONAL TOXICOLOGY INFORMATION:**

During use in engines, contamination of oil with low levels of cancer-causing combustion products occurs. Used motor oils have been shown to cause skin cancer in mice following repeated application and continuous exposure. Brief or intermittent skin contact with used motor oil is not expected to have serious effects in humans if the oil is thoroughly removed by washing with soap and water.

This product contains petroleum base oils which may be refined by various processes including severe solvent extraction, severe hydrocracking, or severe hydrotreating. None of the oils requires a cancer warning under the OSHA Hazard Communication Standard (29 CFR 1910.1200). These oils have not been listed in the National Toxicology Program (NTP) Annual Report nor have they been classified by the International Agency for Research on Cancer (IARC) as; carcinogenic to humans (Group 1), probably carcinogenic to humans (Group 2A), or possibly carcinogenic to humans (Group 2B).

|                         |                   |                      |                          |
|-------------------------|-------------------|----------------------|--------------------------|
| <b>Revision Number:</b> | 0                 | <b>Product Name:</b> | PT Maxnitron 2T Autolube |
| <b>Revision Date:</b>   | 23-August-2025_PP |                      |                          |

These oils have not been classified by the American Conference of Governmental Industrial Hygienists (ACGIH) as: confirmed human carcinogen (A1), suspected human carcinogen (A2), or confirmed animal carcinogen with unknown relevance to humans (A3).

## **SECTION 12 : ECOLOGICAL INFORMATION**

### **ECOTOXICITY**

This material is not expected to be harmful to aquatic organisms.

The product has not been tested. The statement has been derived from the properties of the individual components.

### **MOBILITY**

No data available.

### **PERSISTENCE AND DEGRADABILITY**

This material is not expected to be readily biodegradable. The product has not been tested. The statement has been derived from the properties of the individual components.

### **POTENTIAL TO BIOACCUMULATE**

Bioconcentration Factor: No data available.

Partition coefficient n-octanol/water (logarithmic value): No data available

## **SECTION 13 : DISPOSAL CONSIDERATIONS**

Use material for its intended purpose or recycle if possible. Oil collection services are available for used oil recycling or disposal. Place contaminated materials in containers and dispose of in a manner consistent with applicable regulations. Contact your sales representative or local environmental or health authorities for approved disposal or recycling methods.

## **SECTION 14 : TRANSPORTATION INFORMATION**

The description shown may not apply to all shipping situations. Consult 49CFR, or appropriate Dangerous Goods Regulations, for additional description requirements (e.g., technical name) and modespecific or quantity-specific shipping requirements.

**UN Shipping Description:** NOT REGULATED AS DANGEROUS GOODS FOR TRANSPORT UNDER THE UNITED NATIONS MODEL REGULATIONS/RECOMMENDATIONS

**IMO/IMDG Shipping Description:** NOT REGULATED AS DANGEROUS GOODS FOR TRANSPORT UNDER THE IMDG CODE

**ICAO/IATA Shipping Description:** NOT REGULATED AS DANGEROUS GOODS FOR TRANSPORT UNDER ICAO

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code:** Not applicable

|                         |                   |                      |                          |
|-------------------------|-------------------|----------------------|--------------------------|
| <b>Revision Number:</b> | 0                 | <b>Product Name:</b> | PT Maxnitron 2T Autolube |
| <b>Revision Date:</b>   | 23-August-2025_PP |                      |                          |

**SECTION 15 : REGULATORY INFORMATION****REGULATORY LISTS SEARCHED:**

01-1 = IARC Group 1

01-2A = IARC Group 2A

01-2B = IARC Group 2B

No components of this material were found on the regulatory lists above.

**CHEMICAL INVENTORIES:**

All components comply with the following chemical inventory requirements: AIIC (Australia), DSL (Canada), ENCS (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (United States).

**SECTION 16 : OTHER INFORMATION**

**REVISION STATEMENT:** SECTION 02 - Hazard Statements information was modified.

SECTION 02 - Physical/Chemical Classification information was modified.

SECTION 02 - Precautionary Statements information was modified.

SECTION 05 - Fire Fighters Protection Measures information was modified.

SECTION 05 - Special hazards arising from the substance or mixture information was modified.

SECTION 06 - Personal Precautions, Protective Equipment and Emergency Procedures information was modified.

SECTION 08 - Eye/Face Protection information was modified.

SECTION 08 - General Considerations information was modified.

SECTION 08 - Personal Protective Equipment List information was deleted.

SECTION 08 - Personal Protective Equipment information was added.

SECTION 08 - Respiratory Protection information was added.

SECTION 08 - Respiratory Protection information was deleted.

SECTION 08 - Respiratory Protection information was modified.

SECTION 08 - Skin Protection information was modified.

SECTION 11 - Carcinogenicity information was added.

SECTION 11 - Delayed Health Effects - Target Organ(s) information was modified.

SECTION 11 - Germ Cell Mutagenicity information was added.

SECTION 11 - Reproductive Toxicity information was added.

SECTION 11 - Specific Target Organ Toxicity - Repeated Exposure information was added.

SECTION 11 - Specific Target Organ Toxicity - Single Exposure information was added.

SECTION 11 - Toxicological Information information was added.

SECTION 11 - Toxicological Information information was modified.

SECTION 12 - Ecological Information information was added.

SECTION 12 - Ecological Information information was deleted.

SECTION 14 - IMO Classification information was added.

|                         |                   |                      |                          |
|-------------------------|-------------------|----------------------|--------------------------|
| <b>Revision Number:</b> | 0                 | <b>Product Name:</b> | PT Maxnitron 2T Autolube |
| <b>Revision Date:</b>   | 23-August-2025_PP |                      |                          |

**Revision Date:** October 18, 2024

**ABBREVIATIONS THAT MAY HAVE BEEN USED IN THIS DOCUMENT:**

|                                                                   |                                                        |
|-------------------------------------------------------------------|--------------------------------------------------------|
| TLV - Threshold Limit Value                                       | TWA - Time Weighted Average                            |
| STEL - Short-term Exposure Limit                                  | PEL - Permissible Exposure Limit                       |
|                                                                   | CAS - Chemical Abstract Service Number                 |
| ACGIH - American Conference of Governmental Industrial Hygienists | IMO/IMDG - International Maritime Dangerous Goods Code |
| API - American Petroleum Institute                                | SDS - Safety Data Sheet                                |
| CVX - Chevron                                                     | NFPA - National Fire Protection Association (USA)      |
|                                                                   | NTP - National Toxicology Program (USA)                |
| IARC - International Agency for Research on Cancer                |                                                        |

Prepared according to the Hazard Classification and Communication System of Hazardous Substances B.E. 2555 by Chevron.

The information in this SDS is based on the knowledge, information, and belief of Chevron and its affiliates as of the publication date. It is not a quality specification, and no warranty, express or implied, is given. We assume no responsibility or liability for the results of using this material. The information presented here pertains only to the listed product. Since conditions of use are beyond our control, it is the user's responsibility to determine the conditions for safe use of this product and assess its suitability for their application. Users should seek additional guidance if necessary.